



CITY OF DANBURY
155 DEER HILL AVENUE
DANBURY, CONNECTICUT 06810

CHARLES J. VOLPE, JR
PURCHASING AGENT

(203) 797-4571 PHONE
(203) 796-1527 FAX
c.volpe@ci.danbury.ct.us

August 22, 2016

ADDENDUM #1

To

Bid #07-16-17-02 "Upgrade Tennis Courts at Danbury High School"

This addendum shall be part of the Purchasing documents for the above captioned Bid. This addendum is to be acknowledged by the bidder by signing as provided below and returning with the bidder's proposal.

REPLACE: Bid page 2 – SPECIFICATIONS – with the attached revised page

BID DUE DATE: Remains the same – Thursday, September 8, 2016, 10:00 AM

Receipt of the addendum is hereby acknowledged.

Bidder _____
Signature _____
Title _____
Date _____

Charles J. Volpe, Jr.
Purchasing Agent
City of Danbury

Bid # 07-16-17-02 "Upgrade Tennis Courts at Danbury High School"

SPECIFICATIONS

SCOPE

This contract includes, but is not limited to the supplying of all labor, material, equipment and supervision necessary and required to upgrade six (6) all-weather bituminous concrete outdoor tennis courts comprising of approximately 41,760 square feet total surface area.

The project shall be accomplished by implementing the Dalton "Plush" Tennis Tune-Up Program or approved equivalent. The work includes repair of cracked surface and restoring entire surface to finished quality.

VISIT TO SITE

The contractor shall visit the work site, take all measurements, note all conditions and fully acquaint himself with the conditions relating to construction and labor so that he may fully understand the facility, difficulty and restrictions attending the execution of the work under this contract. The contractor shall thoroughly examine and be familiar with the specifications. The failure or omission of the contractor to receive or examine any form, instrument of addendum or other document, or to visit the site and acquaint himself with the conditions there existing, shall in no way relieve him from any obligation with respect to the contract, and shall not entitle him to any extra compensation.

WORK TO BE DONE

A. SURFACE RESTORATION

- Clean entire court areas to be repaired and/or surfaced by use of scraper, stiff bristle broom and mechanical blower.
- Remove all previous crack repairs.
- Rout cracks where necessary with mechanical cutter to shape cracks to a proper depth and width in order to receive crack compound material.
- Air blow cracks to remove any foreign material that may disturb the bond between the crack sidewalls and crack compound material, insuring a proper bond.
- Seal all cracks on courts and around net post foundations to refusal with Pluspatch Binder, or approved equivalent.
- Apply fabric overlay crack repair system using Riteway method or approved equivalent.
- Install one (1) coat of Plushtex Asphalt Resurfacer, or approved equivalent, to entire court areas.
- Apply two (2) coats of Plushcolor, or approved equivalent to entire court area. Colors to be selected by City from provided color chart.
- Lay out, mask and "hand" paint playing lines with texturized Plush line paint, or approved equivalent.